

Index

- $(a)_+$, 367
 $[a]_+$, 360
 \widehat{A} , 135
- adjoint representation, 32
differential of, 33
irreducibility of, 80
of subgroup, 33
- $\text{Aff}(G)$, 7
 $\text{Aff}(\text{GL}(n, \mathbb{C}))$, 6
 $\text{Aff}(\text{GL}(V))$, 6
 $\text{Aff}(X)$, 580
- affine algebraic set, 579
affine ring of, 579
ascending chain property, 590
dimension, 590
dominant map, 595
group structure on, 15
incontractible decomposition of, 587
irreducible, 586
irreducible components, 587
principal open subset, 584
products of, 585
rational functions on, 591
reducible, 586
regular functions on, 580
regular map, 585
smooth, 598
tangent space, 597
Zariski-closed subset, 584
- algebra, 17
automorphism group of, 17
conjugation on, 292
derivation of, 599
real form of, 291
algebra of invariants, 169
finite generation of, 170
algebraic quotient, 497
algebraic torus, 7
generator of, 53
maximal, 50
rank, 7
 σ -split, 515
 θ anisotropic, 535
- \mathcal{A}_{Lie} , 639
 α (highest root), 76
alternating group, 160
alternating k -tensors $\bigwedge^k V$, 624
 AM_k (skew-symmetric matrices), 182
anticommutator, 200
antisymmetric, see skew-symmetric, 115
antipode, 127
associative algebra, 112
as Lie algebra, 34
associated graded algebra, 633
filtration on, 632
gradation on, 632
invertible elements in, 17
Lie bracket on, 639
semisimple, 133
simple, 128
tensor product, 636
- $\mathcal{AV}_{k,n}$, 265
- basic invariants, 170
degrees of, 170
- basis
 B -isotropic, 616
orthonormal, 615
symplectic, 617
- bialgebra, 125
bilinear form
nondegenerate, 615
skew-symmetric, 615
symmetric, 615
- binary form, 177
- \mathfrak{B}_k , 177, 408
 $\mathfrak{B}_k(\varepsilon n)$, 408
- $\mathfrak{B}_k(V, \omega)$ (centralizer algebra), 433
- Borel fixed-point theorem, 503
- Borel subalgebra, 229
opposite, 243
- $B^p(\mathfrak{g}, V)$ (p -coboundaries), 314
- braid group, 452
subgroup of pure braids, 452
- braid relations, 447
- branching law, 350
multiplicity free, 350

- branching multiplicity formula, 357
 branching pattern
 n-fold, 352
 shape of, 353
 Brauer diagram, 409
 normalized, 410
 parameterized by matching, 435
 r-bar, 410
 Burnside's theorem, 116

 $C(1^{i_1} 2^{i_2} \cdots k^{i_k})$, 164
 $C[G]$, (group algebra), 112
 $C[G]^G$, 150
 canonical anticommutation relations, 200
 canonical commutation relations, 318
 Capelli identity, 224, 227
 Capelli theorem (abstract), 213
 Card(S), 368
 Cartan integers, 75, 82
 Cartan matrix, 75
 Casimir operator, 87, 91, 325
 Casselman–Osborne formula, 325
 Cayley parameters, 61
 Cayley transform, 24
 Cent $_K(A)$, 536
 central function, 150
 centralizer, 159
 centralizer algebra, 407
 $C_G(g)$ (conjugacy class), 158
 character
 additive, 154
 fixed point formula for, 158
 of induced representation, 157
 of representation, 140
 character table of \mathfrak{S}_n , 381, 383
 χ_ρ (character of ρ), 151
 ch V (character of V), 141
 C^∞ manifold, 650
 covering of, 651
 differential form on, 655
 open submanifold of, 651
 orientable, 656
 product of, 650
 tangent space, 652
 vector field on, 654
 classical groups, 6
 connectedness of, 60, 480
 reductivity of, 87
 classical Lie algebras
 isomorphisms of, 83
 triangular decompositions of, 80
 Clebsch–Gordan formula, 306
 Cliff(V, β), 269
 Clifford algebra, 269
 main anti automorphism on, 284
 main involution on, 271
 coassociativity, 125
 coboundary, 310
 coboundary operator, 310
 codifferential, 319
 cohomology space, 314
 connecting map, 315
 long exact sequence, 315
 Col(A), 393
 Comm(S), 137
 commutant, 137
 commutator, 18, 639
 commutator subgroup, 499
 compact torus, 339
 complete contraction, 192, 194
 composition series, 141
 comultiplication, 125
 Conj(G) (conjugacy classes), 151
 conjugacy class, 158
 in symmetric group, 152
 contraction operator, 411
 r-fold, 438
 convolution of functions, 113
 coroot, 73, 82
 coroot lattice, 346
 counit, 125
 covariant, 519
 $C^p(\mathfrak{g}, V)$, 309
 $C^p(W)$ (*p*-multilinear skew functions), 272
 cycle decomposition, 164
 cycle length, 152
 cyclic vector, 229

 $\mathcal{D}(G)$ (commutator subgroup), 499
 $\mathcal{D}(\mathfrak{g})$ (derived algebra), 471
 $\mathcal{D}(V)$, 214
 Δ (set of simple roots), 75
 Δ_G , 297
 Δ_i (*i*th principal minor), 256, 625
 depth (of Ferrers diagram), 352
 Der(\mathfrak{g}), 130
 derivation
 of End(V), 130
 of algebra, 130
 derived series, 499
 determinantal ideal, 262
 alternating, 266
 symmetric, 264
 determinantal variety, 262
 alternating, 265
 symmetric, 264
 \det_k , 390
 diagonal map, 115
 Dirac operator, 279
 d_λ (degree of representation), 147
 D_n (diagonal matrices), 468
 \mathcal{D}_n , 178
 $\mathcal{D}''(G)$ (derived subgroup), 499
 dominant index, 171
 dominant term, 172
 dominant weights, 102
 double commutant theorem, 137
 doubly transitive action, 161
 dual orthogonality relations, 153
 dual reductive pair, 384
 duality correspondence, 138, 209
 in Weyl algebra, 214

- $\mathcal{D}\mathcal{V}_{k,m,n}$ (determinantal variety), 262
 Dynkin diagram, 76
 connected subgraph of, 82
 e_I , 139
 e^λ , 67
 $\text{End}(V)$, 6
 $\text{End}_A(V)$, 114
 $\epsilon(v)$ (exterior product), 200
 Euler characteristic, 334
 Euler operator, 318
 on exterior algebra, 201
 Euler–Poincaré principle, 334
 $\exp(X)$, 663
 expansion operator, 411
 r -fold, 438
 exterior algebra $\bigwedge(V)$, 637
 exterior product, 200, 312
 extreme vector, 229
- f_A (representative function), 148
 Ferrers diagram, 352
 FFT (First Fundamental Theorem), 180
 tensor version, 188
 filtration degree, 215
 filtration on enveloping algebra, 320
 fixed points, 157
 flag manifolds, 485
 full flags, 485
 isotropic flags, 486
 $\text{Flag}_k(V)$, 485
 F_n^λ , 374
 flip operator, 447
 f^\natural , 169
- Fourier transform, 147
 inversion formula, 149
 of central function, 152
 of irreducible character, 152
 on finite field, 155
 free group, 451
 Frobenius reciprocity, 155, 523
 fundamental weights, 101
 in terms of simple roots, 107
- $(G/H)^\theta$ (fixed points), 157
 \mathfrak{g}_α (root space), 68
 G° (connected component), 12
 general linear group, 1
 quaternionic, 48
 \widehat{G} , 147, 519
 $\text{GL}(n, \mathbb{C})$, 1
 $\text{GL}(V)$, 6
 $\mathfrak{gl}(V)$, 20
 G^λ , 374
 G_R , 42
 $\text{Gr}(A)$, 633
 $\text{Grass}_k(V)$, 483
 Grassmann manifold, 483
 Plücker coordinates on, 484
 quadric, 484
 group algebra, 112
 $g \star y$ (θ -twisted conjugation), 487
- \mathbb{H} (quaternions), 46
 $\mathcal{H}(\otimes^k V, \omega)$ (harmonic k -tensors), 417
 h^0 (sum of positive coroots), 244
 in terms of simple coroots, 247
 h_α (coroot), 73
 harmonic polynomial, 172, 178, 252
 harmonic skew tensor, 236
 harmonic tensor, 416
 height of root, 75
 Heisenberg commutation relations, 214
 Heisenberg group, 165
 Hermite reciprocity, 143
 Hermitian inner product, 90
 highest root, 76
 highest vector variety, 532
 highest weight, 231
 highest-weight vector, 231
 Hilbert Nullstellensatz, 582
 Hilbert series, 171, 178, 632
 $\text{Hom}_A(V, W)$, 114
 $\text{Hom}_G(V, W)$, 115
 hook length formula, 378
 Hopf algebra, 115, 127
 Howe duality, 217
 $H^p(\mathfrak{g}, V)$ (p -cohomology space), 314
 $\mathcal{HT}_\gamma^{\otimes k}$, 435
 $\mathcal{HT}_r^{\otimes k}$ (partially harmonic tensors), 434
- ideal
 ascending chain condition, 580
 finitely generated, 580
 graded, 633
 homogeneous, 565
- idempotent, 134
 minimal central, 134
- $\mathcal{I}_{k,m,n}$ (determinantal ideal), 262
- $\text{Ind}_H^G(\mu)$ (induced representation), 155
- $\text{Inn}(g)$, 666
- insertion operator, 447
- interior product, 200, 309
- interlacing condition (for weights), 350
- intertwining operator, 114
- invariant bilinear form, 2, 29, 85
 on classical Lie algebra, 71
- invariant measure, 90, 668
- invariant subspace, 9, 114
- involutory automorphism, 3, 490
- $\iota(v^*)$ (interior product), 200
- isotropic subspace, 4
- isotropic basis, 4
- isotropic r -vector, 237
- isotropic subspace, 615
- isotropic vector, 4, 615
- isotypic subspace, 120
- \mathcal{I}_X , 580
- Jacobi identity, 20, 639
- Jones polynomial, 460
- Jordan–Chevalley decomposition
- semisimple component, 39

- Jordan–Chevalley decomposition
 nilpotent component, 39
 unipotent component, 39
 Jordan–Hölder series, 131, 141
- k*-vector, 482
 decomposable, 482
- Killing form, 87
- $K_{\Lambda\mu}$, 354
- Kostka coefficients, 354
- Koszul complex, 318
- L (left translation representation), 147
- $l(s)$ (length of Weyl group element), 328
- \mathcal{L} -tableau, 444
- lattice, 68
- lex
 $>$ (lexicographic order), 171, 375
- Lie algebra, 20, 639
 abelian extension of, 323
 Cartan's criterion for solvability, 472
 central extension of, 323
 derived algebra, 471
 nilpotent elements of, 39
 of algebraic torus, 22
 of linear algebraic group, 20
 of orthogonal group, 24
 of special linear group, 23
 of symplectic group, 25
 of unipotent group, 22
 semidirect product, 323
 semisimple, 82, 473
 semisimple elements of, 39
 simple, 81, 473
 solvable, 471
 subalgebra of, 20
 toral subalgebra, 535
 universal enveloping algebra, 640
- Lie derivative, 309
- Lie group, 660
 exponential map, 663
 homomorphism of, 661
 inner automorphism, 666
 left invariant vector field, 661
- Lie algebra of, 662
- Lie subgroup, 661
- modular function, 669
- product, 661
- unimodular, 669
- $\text{Lie}(G)$, 20, 661
- linear algebraic group, 1
 algebraic action of, 481
 as Lie group, 42
- Borel subgroup of, 503
- complex conjugation on, 43
- compact form of, 45
- connected, 12, 480
- covering homomorphism, 289
- defined over \mathbb{R} , 42
- image under homomorphism, 14
- involutive automorphism of, 487
- irreducible components, 12
- isomorphism of, 7
- product of, 8
- \mathbb{R} -rational points of, 42
- real form of, 44
- reductive, 84, 479
- semisimple element in, 39
- simply connected, 289
- subgroup, 13
- unipotent, 477
- unipotent element in, 39
- unipotent radical, 478
- Littlewood–Richardson coefficients, 387
- local ring, 608
- lowest weight, 243
- lowest-weight vector, 243
- $\mathcal{M}(k, r)$ (matchings), 434
- $m(\Lambda, \mu)$, 350
- Markov move
 Type I (conjugation), 454
 Type II (adjunction), 454
- matrix
 elementary, 112
 principal minors of, 625
 semisimple, 613
 skew-symmetric, 2, 615
 symmetric, 2, 615
 unipotent, 614
- maximal torus
 conjugacy of, 56
 normalizer of, 92
- mixed tensors, 620
- $m_1(\mu)$ (weight multiplicity), 300
- $M_n(\mathbb{C})$, 1
- $M_n(\mathbb{H})$, 48
- module
 for associative algebra, 114
 homomorphism, 114
 semi-simplification of, 141
- $\text{mult}_F(V^\lambda)$ (outer multiplicity), 300
- multiplicity-free G -space, 520
- $m_V(\xi)$ (multiplicity of ξ in V), 122
- nilpotent matrix, 34
- \mathfrak{N}_k , 193, 408
- $N_{\mu\nu}^\lambda$, 387
- $N_n(\mathbb{C})$, 485
- N_{++}^n , 350
- Noether normalization lemma, 589
- Noetherian ring, 580
- $\text{Norm}_G(H)$, 92
- $O(\mathbb{C}^n, B)$, 3
- $O(n)$, 46
- $O(n, \mathbb{C})$, 4
- $O(p, q)$, 44
- $O(V, B)$, 4
- opposite unipotent group, 524
- oriented braids, 452
- oriented link, 453

- orthogonal group, 3
outer multiplicity, 300
- $P(\mathfrak{g})$ (weight lattice), 99
 $\mathbb{P}(V)$, 604
 $\mathcal{P}(V)^G$, 169
 p -coboundaries, 314
 p -cochain, 309
 p -cocycles, 314
 $\text{Par}(k)$ (partitions of k), 373
 $\text{Par}(k, n)$, 373
partially harmonic tensor, 434
type γ , 435
partition, 164, 373
dominance order, 375
dual, 377
 G -admissible, 420
hook, 391
lexicographic order, 375
of integer, 152
partition function, 357
partition of unity, 652
permutation matrix, 93
Pfaff(A) (Pfaffian), 627
 Pf_i (i th principal Pfaffian), 259, 628
 Φ (root system), 68
extreme weight, 240
saturated set of weights, 240
 Φ^+ (positive roots), 75
Pieri's rule, 388
 $\text{Pin}(p, q)$, 294
 $\text{Pin}(V, \beta)$, 285
Plancherel formula, 150
 \mathbb{P}^n , 605
polarization identity, 622
positive roots, 75
in terms of simple roots, 82
 $P_{++}(G)$ (dominant weights), 103
 $P_{++}(\mathfrak{g})$ (dominant weights), 102
 P_{++}^{reg} , 344
projective algebraic set, 605
cone over, 605
regular map, 610
projective space, 604
homogeneous coordinates, 605
inhomogeneous coordinates, 605
Zariski topology on, 605
 \wp_Σ , 357
- $Q(\mathfrak{g})$ (root lattice), 100
 $Q(s)$, 328
 q -binomial coefficient, 143
 (Q) , 330
quasiprojective algebraic set, 606
simple point, 611
smooth, 611
quaternionic conjugate, 47
quaternionic unitary group, 46, 48
quaternions, 46
 $\text{Quot}(A)$, 591
- R (right translation representation), 147
 $\mathcal{R}(G/K)$, 522
 $\text{Rad}_u(G)$ (unipotent radical), 478
rank of classical group, 56
 $\text{Rat}(X)$, 591
rational character, 51
rational map, 23, 591
real orthogonal group, 46
real special orthogonal group, 46
reciprocity law
for \mathfrak{S}_n , 375
Frobenius, 155, 523
Hermite, 143
seesaw, 386
regular function, 6
regular map, 585
differential of, 599
regular weight, 103
representation
Cartan product of, 238
completely reducible, 84, 87, 118
conjugation, 12
contragredient, 10, 114
defining, 10
degree, 116, 147
differential of, 27
direct sum, 10, 114
dual, 10, 114
equivalent, 10, 114
faithful, 114
fundamental, 234
generating function, 525
group, 9
half-spin, 282
highest weight of dual, 243, 247
induced, 155, 523
irreducible, 10, 114
left regular, 145
locally regular, 9, 518
matrix coefficients of, 9
multiplicity free, 520
multiplicity in tensor product, 301
multiplicity of irreducible, 122
multiplicity of weight in, 125
multiplicity-free, 125
of $\text{End}(V)$, 129
of associative algebra, 113
of smallest dimension, 307
orthogonal, 244, 247
outer tensor product, 122
permutation, 158
primary decomposition, 122
quotient, 10, 114
reducible, 10
regular, 9
restricted, 155
skew-symmetric powers of, 115
spherical, 527
spin, 282
symmetric powers of, 115
symplectic, 244, 248

- representation (*cont.*)
 tensor product, 11, 115
 weight of, 99, 125
 representative function, 9, 148
 $\text{Res}_H^G(\rho)$ (restriction of representation), 155
 resolution of the identity, 37, 613
 restricted roots, 556
 ρ (half-sum of positive roots), 107
 ρ_n (weight of $\text{GL}(n, \mathbb{C})$), 298
 ρ_X , 518
 root, 68
 root lattice, 100
 root reflection, 96
 generation of Weyl group by, 97
 root space, 68
 commutation relations, 72
 root space decomposition, 71
 root string, 74, 82
 length of, 74
 subspace associated with, 74
 root system, 68
 index of connection, 108
 of classical Lie algebra, 75
 simply laced, 107
 root vector, 68
 $\text{Row}(A)$, 393
 $s(\alpha)$, 73
 $S(V)$ (symmetric algebra), 635
 s_α (root reflection), 97
 Satake diagram, 538
 Schur duality, 374
 Schur orthogonality relations, 148
 Schur's lemma, 116
 seesaw pair, 385
 semidirect product of groups, 94
 SFT (Second Fundamental Theorem), 184, 260
 sgn (character of \mathfrak{S}_n), 160
 shape
 of tableau, 392
 transposed, 377
 $\mathcal{ST}_{k,n}$, 264
 σ_k (representation of \mathfrak{S}_k), 162
 simple group, 160
 simple roots, 75
 conjugacy under Weyl group, 109
 \mathfrak{S}_k (symmetric group), 138
 $S^k(V)$ (symmetric k -tensors), 621
 skew field, 47
 skew-commutative tensor product, 638
 $\text{SL}(n, \mathbb{C})$, 2
 $\mathfrak{sl}(n, \mathbb{C})$, 23
 $\text{SL}(n, \mathbb{H})$, 48
 \mathfrak{S}_λ , 163
 SM_k (symmetric matrices), 181
 $\text{SO}(\mathbb{C}^n, B)$, 3
 $\text{SO}(n)$, 46
 $\text{SO}(n, \mathbb{C})$, 4
 $\mathfrak{so}(n, \mathbb{C})$, 24
 $\text{SO}(p, q)$, 45
 $\text{SO}(V, B)$, 4
 solvable group, 499
- $\text{Sp}(\mathbb{C}^{2l}, \Omega)$, 5
 $\mathfrak{sp}(\mathbb{C}^{2l}, \Omega)$, 25
 $\text{Sp}(l, \mathbb{C})$, 6
 $\text{Sp}(n)$, 46
 $\text{Sp}(V, \Omega)$, 6
 $\text{Sp}_{2l}(\mathbb{C})$, 6
 space of spinors, 271
 special linear group, 2
 special orthogonal group, 3
 special unitary group, 46
 spherical subgroup, 527
 $\text{Spin}(p, q)$, 294
 $\text{Spin}(V, \beta)$, 287
 $\text{STab}(\lambda)$, 399
 $\text{STab}(\lambda, \mathcal{L})$, 444
 $\text{SU}(n)$, 46
 $\text{SU}(p, q)$, 44
 $\text{SU}^*(2n)$, 49
 submatching, 440
 γ -linked, 440
 $\text{supp}(f)$, 652
 $\mathcal{SV}_{k,n}$, 264
 symbol map, 216
 symmetric algebra, 634
 symmetric group, 138
 branching rule, 389
 hook representation, 391
 representation on k -tensors, 138
 standard representation, 160
 symmetric polynomial
 elementary, 171
 power sum, 177, 380
 symplectic basis, 5
 symplectic group, 5
- $T(V)$ (tensor algebra), 634
 $T(X)_x$ (tangent space), 597
 $\text{Tab}(\lambda)$, 392
 $\text{Tab}(\lambda, \mathcal{L})$, 444
 tableau, 392
 column skew-symmetrizer, 393
 row symmetrizer, 393
 standard, 399
 Young symmetrizer, 396
- tangent vector, 597, 652
 Taylor's formula, 35
 TDS, 62, 66
 associated to root, 72
 in classical Lie algebra, 72
 representations of, 62, 98
- tensor algebra, 634
 tensor contraction, 621
 $\theta(X)$ (Lie derivative), 309
 θ -twisted conjugation, 487
- topological space
 C^∞ n -atlas on, 648
 C^∞ structure on, 650
 n -chart for, 648
- transcendence basis, 589
 transcendence degree, 589
 two-partition, 194

- $U(\mathfrak{g})$ (universal enveloping algebra), 113
 $U(n)$, 46
 $U(n, \mathbb{H})$, 48
 $U(p, q)$, 44
uncertainty principle, 154
unimodal function, 92
unipotent matrix, 34
unitarian trick, 90
unitary group, 46
universal enveloping algebra, 113
- $V(\mu)$ (weight space), 99
 $V_{(\xi)}$ (isotypic subspace), 120
Vandermonde determinant, 54, 61
Vandermonde matrix, 54
 ϖ_i (fundamental weight), 101
 $\text{Vect}(X)$, 599
vector field, 599
 left-invariant, 18
 $V^{\otimes k}(\lambda)$, 163
 V^m (m -fold direct sum), 131
 V^n , 232
volume form, 657
- Wedderburn's theorem, 128
 $\wedge(V)$ (exterior algebra), 637
 $\wedge^k V$ (alternating k -tensors), 624
weight lattice, 99
 of classical group, 68
weight multiplicity, 300
 Freudenthal recursion formula, 337
 Kostant's formula, 358
- Weyl algebra, 214
Weyl character formula, 298
Weyl denominator formula, 299
Weyl dimension formula, 301
Weyl group, 92
 length of elements, 328
 longest element of, 97
 of classical group, 93
 orbits on weight lattice, 105
 reduced expression for elements, 328
Weyl integral formula, 343
 coordinate form of, 346
 W_G (Weyl group), 92
 $W^k(\lambda)$, 418
 $\tilde{W}^k(\mu)$, 418
- $\chi(K)$ (rational characters), 51
 $\chi(V)$ (weights of V), 125
 X^f (principal open set), 584
 Ξ_G , 337
 $x * y$ (convolution product), 113
- Yang–Baxter equation, 448
Young tableau, 392
- $\mathfrak{z}(\mathfrak{g})$, 99
Zariski topology, 584
 $Z_G(g)$ (centralizer), 159
 \mathbb{Z}_n , 154
 \mathbb{Z}_{++}^n , 350
 $Z^p(\mathfrak{g}, V)$ (p -cocycles), 314