


1. Determine how large n has to be in order to approximate the integral $\int_0^1 \cos(x^2) dx$, using the Midpoint Rule, with error at most 10^{-6} . Then use this value of n to calculate the integral to this accuracy. (The Midpoint Rule is discussed in the textbook.)

2. Suppose f is defined by $f(x) = 3e^{\cos x}$. Maple produced graphs of f and its first four derivatives on the interval $[2, 7]$ (be careful when examining the derivative graphs – look carefully at the vertical scales!). The graph of f is to the right, and the graphs of the first four derivatives of f are on the back of this page. You should assume that the graphs given are correct.



Suppose I is the value of $\int_2^7 f(x) dx$.

- a) Use the graph of f alone to estimate I .
- b) Use the information in the graphs to tell how many subdivisions N are needed so that the Trapezoid Rule approximation T_N will approximate I with error $< 10^{-5}$.
- c) Use the information in the graphs to tell how many subdivisions N are needed so that the Simpson's Rule approximation S_N will approximate I with error $< 10^{-5}$.


3. Consider the function $f(x) = e^x \sin(Nx)$ on the interval $[0, 1]$ where N is a positive integer.

- a) Make three separate sketches of the graph of this function when $N = 5$, $N = 10$, and $N = 100$.
- b) Compute $\int_0^1 f(x) dx$. Evaluate this integral when $N = 5$, $N = 10$, and $N = 100$.
- c) Compute $\int_0^1 f(x) dx$ with N not specified (your answer should have N 's in it.) What happens to the graph and to the value of the integral as $N \rightarrow \infty$? Explain how the graphs confirm the limiting behavior of the integral's value.


4. The only information known about a function T and its derivatives is contained in this table:

x	$T(x)$	$T'(x)$	$T''(x)$
1	2	-2	2
2	3	6	5
3	7	4	-4
4	2	5	7


- a) Compute $\int_2^3 T'(x) dx$.
- b) Compute $\int_2^3 T''(x) dx$.
- c) Compute $\int_2^3 x dx$.
- d) Compute $\int_2^3 xT''(x) dx$. Don't look at b) and c)! Integrate by parts.
- e) Compute $\int_2^3 x^2T'''(x) dx$. And again and again.




Graph of f'



Graph of f''



Graph of $f^{(3)}$



Graph of $f^{(4)}$