

Recent Advances in the Rigorous Integration of Flows of ODEs with Taylor Models

Kyoko Makino and Martin Berz

Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan 48824, USA

Since the early work of Moore, and perfected for the linear autonomous case by Lohner, it is known that preconditioning based on enclosing the accumulated errors in suitably chosen coordinate systems allows for effective suppression of the wrapping effect. The amount of error that needs to be accounted for itself can be significantly reduced by representing flows in terms of polynomials in the initial conditions as in the Taylor model based integrators.

From the earliest use of Taylor model based integrators for solar system dynamics and beam physics, it has proven beneficial to absorb the single step error within the nonlinear range of the flow, a method known as shrink wrapping. For extended domains this method is more accurate than any preconditioning method. We thus develop a hybrid method, based on a nonlinear representation of the error in terms of slack variables that is added to the flow approximation by Taylor polynomials. Within this framework, the beneficial aspects of both the preconditioning and the shrink wrapping approaches are maintained.

It has long been known that Taylor methods lend themselves well to automatic step size control, and a scheme is developed that contains a dynamically adjusted adjustment factor for overestimation such that the actual step size is predicted based not only on Taylor expansion, but also on overestimation experienced in previous steps. However, in a similar way as Taylor expansion in time allows prediction of step size, Taylor expansion in initial conditions allows determination of a maximal domain that can be transported without undue inaccuracy. It can be automatically detected when this domain of convergence is exceeded in the propagation of the flow, in which case the current piece of flow will be split. Overall, a collection of Taylor model domains is propagated, the number of which will be shown to scale approximately with the entropy of the system under consideration.

The outlined automatic step size control and automatic domain decomposition allow in principle arbitrary integration even for nonlinear systems under the assumption of infinite machine accuracy. As a final step, we represent a method to naturally extend Taylor models to allow arbitrary precision based on the well known two-sum and two-product algorithms which allow the sum and products of two floating point numbers to be represented exactly in terms of unevaluated sums of floating point numbers of staggered magnitude. Indeed, within the Taylor expansion framework, another dummy variable is introduced which accounts for different "powers" of machine accuracy. An interesting consequence is that this approach automatically leads to the fact that only those coefficients that need it are represented in higher precision, leading to a very efficient implementation.