

Dr. Z's Math151 Handout #3.10 [Derivatives of General Exponential and Logarithmic Functions]

By Doron Zeilberger

Problem Type 3.10.1 : Differentiate the function $f(x) = \text{Expression}(x)$, where the expression involves $\ln x$ or $\log_a x$.

Example Problem 3.10.1: Differentiate the function $f(x) = x(\ln x)^{1/5}$.

Steps

1. All the differentiation rules are still applicable! We just have a brand new function $\ln x$ whose derivative is simply $1/x$. The derivative of $\log_a x$ is $1/(x \ln a)$ (since $\log_a x = \ln x / \ln a$). But, before we differentiate $\ln(\text{COMPLICATED})$, you should use the \ln simplification rules to break the function into simple pieces [when- ever possible, in this particular example, the argument of \ln is just x , so there is nothing to simplify].

Example

1. First we must use the product rule:

$$f'(x) = (x(\ln x)^{1/5})' = x'(\ln x)^{1/5} + x((\ln x)^{1/5})' \quad .$$

Using the chain rule for the second term, we get

$$1 \cdot (\ln x)^{1/5} + x \cdot (1/5) \cdot (\ln x)^{-4/5} \cdot (\ln x)'$$

which equals

$$(\ln x)^{1/5} + (x/5) \cdot (\ln x)^{-4/5} \cdot (1/x) =$$

$$(\ln x)^{1/5} + \frac{(\ln x)^{-4/5}}{5} \quad .$$

Problem Type 3.10.2 : Use logarithmic differentiation to find the derivative of the function $f(x)$ which is a product of complicated powers and possibly exponentials.

Example Problem 3.10.2: Use logarithmic differentiation to find the derivative of the function $f(x) = (2x + 1)^6(x^3 - 4)^{11}$.

Introduction. For such functions you don't need **logarithmic differentiation** but it helps! You use the fact that $(\ln f(x))' = \frac{f'(x)}{f(x)}$ hence $f'(x) = f(x)(\ln f(x))'$. The point is that in these cases it is much easier to differentiate $\ln f(x)$ (after simplification!), then $f(x)$.

Steps

1. Using the rules of \ln , simplify $\ln f(x)$ as much as possible.

Example

1.

$$\begin{aligned}\ln(2x + 1)^6(x^3 - 4)^{11} &= \\ \ln(2x + 1)^6 + \ln(x^3 - 4)^{11} &= \\ 6 \ln(2x + 1) + 11 \ln(x^3 - 4) & .\end{aligned}$$

2. Differentiate each piece of the result of step 1.

2.

$$\begin{aligned}(\ln f(x))' &= 6(\ln(2x+1))' + 11(\ln(x^3-4))' = \\ 6 \frac{(2x+1)'}{2x+1} + 11 \frac{(x^3-4)'}{x^3-4} &= \\ \frac{12}{2x+1} + \frac{33x^2}{x^3-4} & .\end{aligned}$$

3. Multiply the answer from step 2 by $f(x)$ in order to get $f'(x)$.

3. Ans.

$$f'(x) = \left(\frac{12}{2x+1} + \frac{33x^2}{x^3-4} \right) (2x+1)^6(x^3-4)^{11} .$$

Do not Simplify!